

Google scholar

previous search results categories offline

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)**Scholar** [All articles](#) [Recent articles](#)

Results 1 - 10 of about 86,600. (0.55 sec)

[Bringing order to the web: Automatically categorizing search results-](#) ▶ [rutgers.edu](#) (PDF)

H Chen, S Dumais - Proceedings of the SIGCHI conference on Human ... , 2000 - portal.acm.org

... **results** we use the summary provided in the **search results**. ... because it has been shown in **previous** work to ... of positive examples (ie, pages in a **category**) from a ...Cited by 238 - [Related articles](#) - All 26 versions[Hierarchical clustering of WWW image search results using visual, textual and link ...-](#) ▶ [uiuc.edu](#) (PDF)

D Cai, X He, Z Li, WY Ma, JR Wen - Proceedings of the 12th annual ACM international ... , 2004 - portal.acm.org

... TEXTUAL AND LINK INFORMATION Most **previous** work on ... not directly applicable to web image **search results**. ... Thus, in our system, the **search** result clustering ...Cited by 92 - [Related articles](#) - All 20 versions[Understanding user goals in web search-](#) ▶ [psu.edu](#) (PDF)

DE Rose, D Levinson - Proceedings of the 13th international conference on ... , 2004 - portal.acm.org

... based on our own experiences, some **previous** internal query ... Figure 2: Comparison of Broder's **search** taxonomy to ... **Results** do not total 100% due to rounding error ...Cited by 262 - [Related articles](#) - All 23 versions[Hierarchical classification of Web content-](#) ▶ [sinica.edu.tw](#) (PDF)

S Dumais, H Chen - Proceedings of the 23rd annual international ACM ... , 2000 - portal.acm.org

... WORK Reuters Much of the **previous** work on ... techniques to automatically organize **search results** into existing ... set of human-labeled documents and web **categories**. ...Cited by 416 - [Related articles](#) - All 22 versions[Topic-sensitive pagerank: A context-sensitive ranking algorithm for web search-](#) ▶ [susaaland.dk](#) (PDF)

TH Haveliwala - IEEE Transactions on Knowledge and Data ... , 2003 - doi.ieeecomputersociety.org

... used to influence the ranking of **search results** [1 ... One iteration of the **previous** fixpoint computation corresponds ... be made to prefer certain **categories** of pages ...Cited by 750 - [Related articles](#) - [BL Direct](#) - All 68 versions[Categorizing web search results into meaningful and stable categories using fast-feature ...-](#) ▶ [umd.edu](#)

B Kules, J Kustanowitz, B Shneiderman - Proceedings of the 6th ACM/IEEE-CS joint conference on ... , 2006 - portal.acm.org

... As in the **previous** section, this illustrates the breadth ... classifiers can provide meaningful and stable **categories** that add context to the **search results**. ...Cited by 24 - [Related articles](#) - All 8 versions[... thumbnail previews help users make better relevance decisions about web search results?-](#) ▶ [psu.edu](#) (PDF)

S Dziadosz, R Chandrasekar - Proceedings of the 25th annual international ACM ... , 2002 - portal.acm.org

... 2. UTILITY OF THUMBNAILS **Previous** work [1, 2] has ... as page titles, summaries, URLs, **category** information, or ... Each **results** page contained fifteen **search results**. ...Cited by 32 - [Related articles](#) - All 5 versions[Category ranking for personalized search](#)

C Makris, Y Panagis, E Sakkopoulos, A ... - Data & Knowledge Engineering, 2007 - Elsevier

... at a certain point decides to **search** for films ... Details concerning parts of the **previous** algorithms are further ... Their correlation **results** from the fact that the ...Cited by 17 - [Related articles](#) - All 2 versions[Using relevance feedback in content-based image metasearch](#)

AB Benitez, M Beigi, SF Chang - IEEE Internet Computing, 1998 - ieeeexplore.ieee.org

... **Previous** experience about query successes and failures is tracked to ... posed to all **search** options in all **search** engines, and the **results** are downloaded ...